

Filling Line Isolator



Boosting Your Aseptic Fill Capabilities



По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

eus@nt-rt.ru || <https://escolifesciences.nt-rt.ru>



Filling lines enclosed in an isolation technology are now widely utilized for the aseptic manufacture of sterile pharmaceuticals in various container formats. Esco Pharma's filling line isolator provides an ISO Class 5 / Grade A environment, ensuring the sterility of the work zone for the most demanding sterile/aseptic operations.

The Filling Line Isolator provides a ready-to-use and easy-to-validate filling, stoppering, and capping system for flexible small batch pharma production after the formulation step. The entire fluid path is designed for single-use, making cleaning validation simple and permits fast changeover between various liquids. The universal format parts supplied can be used for a wide range of vials, stoppers, and caps. Changeover between vials, stoppers, and caps can be done within minutes by operator without any special tools or technical support from staff outside the cleanroom area.

Applications

- Aseptic manufacture of cell therapy and injectables
- Aseptic Processing
- Continuous manufacture
- Processing of materials with high Occupational Exposure Band (OEB) levels
- Research and Development
- Vaccine Manufacture





Features




- ISO Class 5 air cleanliness classification as per ISO 14644-1
- Factory-configured to operate in a positive or negative pressure regime, depending on client requirements.
- Configured to operate in single pass/total exhaust or recirculating airflow
 - Unidirectional airflow
 - Turbulent airflow
- Automated Pressure Hold Test
 - With on-board compressed air supply
 - With client supplied compressed air
- Biodecontamination System
 - Esco Pharma's BioVap™ biodecontamination cycle ensures a 6 log reduction in bioburden.
- Audio/Visual Alarm System
- Touch-Panel Interface
 - Siemens HMI/PLC
 - Allen-Bradley PLC
- Surface Finish Options:
 - Grained Finish-Directional
 - Orbital Finish-Upcharge Required
- Barrier Technology:
 - Restricted Access Barrier System (RABS)
 - o Material Entry
 - o Closing open Restricted Access Barrier System (oRABS)
 - o Both operate in ISO Class 5 environment and can be configured in positive or negative pressure depending on the application.
 - Isolator
 - o Filling Line Isolator
 - o Allows the introduction of stoppers and fill media via closed transfer ports
 - o Lyophilizer Isolator
 - *Dependent on client requirements
 - » Facilitates in the loading and unloading of the lyophilizer.
 - » With ISO Class 5 air quality inside via laminar airflow
 - » The lyophilizer is pressure-tested as a combined system with the isolator
 - » Automated entry/exit door system
 - » Rapid Transfer Port (RTP) rapid upgrade capability
 - » With clean gasket finish
- Channel with fill-line base
 - Able to accommodate multiple filling line base types:
 - o Full Stainless Steel
 - o Stainless Covered Aluminum Base
 - Repeated fitment (no damaged gasket)
 - Guaranteed air-tight sealing
 - Flush/Smooth crevice-free transition between filler base and isolator shell
- Single Wall or Double Wall design
 - *Dependent on client requirements
 - Single Wall design-Remote HVAC Skids
 - Double Wall design-Remote HVAC Skids
 - Double Wall design-Non-Remote HVAC Skids
- Heating, Ventilation, and Air Conditioning (HVAC) system
 - Remote
 - On-board
- Cleaning Processes
 - Wash-in-Place (WIP)
 - Clean-in-Place (CIP)
- Integrated systems for filling process
 - Vial washer
 - Depyrogenation tunnels
 - Automatic loading/unloading system
 - Automated tub conveyor and Automated nest transporter
 - Filling/Stoppering Inserting Machine
 - Lyophilizer
 - Robotic Arm (for filling, stoppering, and capping)



Sample Engineering Drawing:

Note: Filling Line RABS/Isolator is built around the footprint of the Filling Line Machine, customized and designed per client requirement.. Below arrangement drawing is an example only.





Formulation and Filling - Traditional Filling Line

Automatic Loading / Unloading System



- Semi / fully automatic loading system
- Laser-Guided loading and unloading systems
- Self-empowered via battery: no need for the x-rail
- Unit turns itself: no need for a rotating turret

Capping Station



- Stand-alone capping machine
- Spinning vials
- Output: Up to 200 vials/min (depends upon client requirement)
- Vial range: 2-100 ml
- Center stationary disk
- Maintenance-free design
- Integrated filling/stoppering/capping monoblock is available

Often, traditional filling lines can also fill RTU vials, however, they are dedicated single format or at most, combination glass vial/syringe lines.

They do not have change parts for *in situ* modification to fill different containers.

Depyrogenation Tunnel



- cGMP-compliant design and construction
- Full range of tunnels to choose from, depending on requirements
- Detect the air speed and keep it constant with a precision of 0.01 m/s
- HEPA-filtered air supply across tunnel chambers
- Capable of up to 6-log bacterial endotoxin level reduction
- Recycled in the Cooling Chamber
- Features a "Night Mode" to save energy while avoiding contamination

Disclaimer

Esco does not manufacture stand-alone filling lines, rather, it is always in combination with Esco's isolators or with open/close restricted access barrier systems (o/cRABS).

When necessary, Esco can: do the front end engineering design, ergonomic trials, URS write-up, and coordinate with its various partners for the provision of a fully integrated system (Isolator + Filling lines + Freeze Dryer + Auto-loading/unloading system) or provide a fully integrated system according to the client's URS.

Esco also has an option to link the complete system to the client's SCADA/DCS system (PCS7, DeltaV, Wonderware or others) for eBatch records and eSignatures in compliance to GAMP 5, 21 CFR Part 11 compliance with computer systems validation.

Filling/Stopper Inserting Machine

- In-line or stand-alone
- Filling station with optional pre/post nitrogen flush
- Dual stopper inserting station
- Vial range: 2-100 ml
- Output: up to 100 vials/min
- Pump : Peristaltic pump / rotary piston pump
- Option: statistical check weighing / reject station
- Quick changeover
- Isolator / RABS (Restricted Access Barrier System) Ready

Vial Washer



- Hanging vials for complete underside exposure for cleaning and drying
- Servomotor main and height adjustment drives
- Universal change part (belts): 13 mm caps/ 20 mm caps
- Quick tool-free changeover
- Built-in low pressure, high volume centrifugal blower for drying
- Lower noise volume
- c/RABS or isolator enclosure ready

Formulation and Filling - Flexible Multi-Format RTU Filling Lines

Lyophilizer

- With options for denesting, automatic loading/unloading into freeze dryers, and renesting before capping.

- An RTU system can process 200 containers per minute

Additional Features

- Stopper gap detection system
- Quarantine location
- Inspection and labelling system
- Viable monitoring (active and passive)
- Modular *in-situ* configuration to have changeable parts to fill multiple container formats (e.g. RTU vials/syringes/cartridges/IV bags)

Automated Tub Conveyor & Automated Nest Transporter

Rapid Transfer Ports

Sterile Liquid Transfer Port

Stopper Vibratory Sorting Unit

Peristaltic Dosing Pumps

Rotary Piston Pump

Isolator Lyophilizer Module

Isolator Container Filling (Partial or Full Stoppering Module)
- Optional continuous loading of stoppers via 3rd party equipment

oRABS Semi-Automated Tub Preparation Module

Isolator Capping Module

(oRABS can be used for non-potent freeze-dried products and non-BSL 3 products)

Robotic Arm for Filling, Stoppering, and Capping

- Increases product output
- Capable of handling multi-container formats
- Accurate dosing of products
- 'Zero loss' philosophy

Disclaimer

Esco does not manufacture stand-alone filling lines, rather, it is always in combination with Esco's isolators or with open/close restricted access barrier systems (oCRABS).

When necessary, Esco can: do the front end engineering design, ergonomic trials, URS write-up, and coordinate with its various partners for the provision of a fully integrated system (Isolator + Filling lines + Freeze Dryer + Auto-loading/unloading system) or provide a fully integrated system according to client's the URS.

Esco also has an option to link the complete system to the client's SCADA/DCS system (PCS7, DeltaV, Wonderware or others) for eBatch records and eSignatures in compliance to GAMP 5, 21 CFR Part 11 compliance with computer systems validation.

External Vial Washer

Optional Equipment

- Optional external washer for post-freeze dried products
- Required for potent liquid filling as some liquids on external surface of vials/syringes will form potent powders harmful to operators.

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Калининград (4012)72-03-81	Омск (3812)21-46-40	Сыктывкар (8212)25-95-17
Ангарск (3955)60-70-56	Калуга (4842)92-23-67	Орел (4862)44-53-42	Тамбов (4752)50-40-97
Архангельск (8182)63-90-72	Кемерово (3842)65-04-62	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Астрахань (8512)99-46-04	Киров (8332)68-02-04	Пенза (8412)22-31-16	Тольятти (8482)63-91-07
Барнаул (3852)73-04-60	Коломна (4966)23-41-49	Петрозаводск (8142)55-98-37	Томск (3822)98-41-53
Белгород (4722)40-23-64	Кострома (4942)77-07-48	Псков (8112)59-10-37	Тула (4872)33-79-87
Благовещенск (4162)22-76-07	Краснодар (861)203-40-90	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Брянск (4832)59-03-52	Красноярск (391)204-63-61	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Владивосток (423)249-28-31	Курск (4712)77-13-04	Рязань (4912)46-61-64	Улан-Удэ (3012)59-97-51
Владикавказ (8672)28-90-48	Курган (3522)50-90-47	Самара (846)206-03-16	Уфа (347)229-48-12
Владимир (4922)49-43-18	Липецк (4742)52-20-81	Саранск (8342)22-96-24	Хабаровск (4212)92-98-04
Волгоград (844)278-03-48	Магнитогорск (3519)55-03-13	Санкт-Петербург (812)309-46-40	Чебоксары (8352)28-53-07
Вологда (8172)26-41-59	Москва (495)268-04-70	Саратов (845)249-38-78	Челябинск (351)202-03-61
Воронеж (473)204-51-73	Мурманск (8152)59-64-93	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Екатеринбург (343)384-55-89	Набережные Челны (8552)20-53-41	Симферополь (3652)67-13-56	Чита (3022)38-34-83
Иваново (4932)77-34-06	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54	Якутск (4112)23-90-97
Ижевск (3412)26-03-58	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31	Ярославль (4852)69-52-93
Иркутск (395)279-98-46	Ноябрьск (3496)41-32-12	Ставрополь (8652)20-65-13	
Казань (843)206-01-48	Новосибирск (383)227-86-73	Сургут (3462)77-98-35	

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

eus@nt-rt.ru || <https://escolifesciences.nt-rt.ru>